


Interstate Pneumatics compressed air blowguns shown in this catalog features precision machined chrome plated metal castings and solid brass internal parts. All have a 1/4" NPT female inlet and 1/8" NPT female outlet. **Interstate Pneumatics** blowguns are lightweight and designed to fit comfortably in the user's hand.

ALL BRASS INTERNAL PARTS FOR FREE OPERATION



3 O-Rings
Leakproof Operation

Bottom mounted Nut
allows field repair

Chrome plated cast Zinc body
Long service life

AIR FLOW DATA

The below will help you in selecting the proper blowgun for your individual application. The chart shows in CFM (Cubic Feet per Minute), the actual air consumed compared to the air delivered at the tip end. The flow data is based on an inlet pressure of 100 PSI. The maximum sound limit for following blowguns is 87 dBA.

Model Number	Air Consumed CFM	Air Delivered CFM	Model Number	Air Consumed CFM	Air Delivered CFM
B232	10	10	B308	8	14
B234	10	10	B309	35	35
B300	41	41	B310	17	17
B301	8	8	B500	10	10
B302	11	11	B501	9	9
B303	10	10	B502	14	14
B304	18	18			
B306	11	16			
B307	6	15			

WARNING: Do not use blowguns on air lines that are not regulated, or when pressure at the gun exceeds 150 PSI. Use the correct size male threaded adapter with Teflon sealing tape. Make sure gun's securely tightened to the adapter. Adapter must be threaded into the gun for the full depth of the female thread. Do not re-tap or modify thread for a non standard adapter. Use of these products contrary to specifications and directions may result in personal injury or property damage.

SAFETY BLOWGUNS

Interstate Pneumatics Safety Series Blowguns comply with * OSHA 1910.242b and 1910.95 by using a tip that reduces the pressure from a maximum of 150 PSI to an outlet pressure of 30 PSI at the nozzle. The tip also includes a safety by-pass which prevents excess pressure build-up in the gun if the nozzle becomes clogged or "dead-ended". All **Interstate Pneumatics** Safety Series Blowguns have a 1/4" NPT female inlet and 1/8" NPT female outlet. Area of bottom of Blowgun is recessed to perfectly fit the user fingers allowing a firm yet relaxed grip. Application include blowing away dust, metal chips, wood chips etc.

B306 STANDARD SAFETY BLOWGUN WITH SAFETY TIP



BT6S safety brass tip

Draws additional air through slots in tip to increase output flow by 40%

B307 STRATA FLOW BLOWGUN WITH SAFETY TIP



BT7S safety brass tip

Heavy velocity concentrates air into a less turbulent stream for smooth operation

B308 SAFETY TAMPER PROOF GUN



Brass Tip swivels to prevent removal. Excellent general purpose blowgun

B309 XS3 / XS6 SAFETY BLOWGUN



B309XS3 safety blowgun with **3" extension**

B309XS6 safety blowgun with **6" extension**

B315 STANDARD ECONOMY SAFETY BLOWGUN



BT8S-R safety brass tip with rubber skin

Zinc die-cast chrome plated body blowgun
Thumb lever - w **Brass Safety Tip** with rubber skin

B316 STANDARD ECONOMY SAFETY BLOWGUN



BT8S Safety Brass Tip

Zinc die-cast chrome plated body blowgun
Thumb lever with **Brass Safety Tip**

B311 IN LINE BLOWGUN




In-line safety blowgun with **Brass Tip**

HEAVY DUTY BLOWGUNS


Interstate Pneumatics Heavy Duty Blowguns feature a heavy cast body for durability and long service life in the most rugged applications. Designed for high volume air flow.

B500 HEAVY DUTY BLOWGUN




Heavy duty blowgun without tip with long barrel

B502 HEAVY DUTY BLOWGUN ANGLED BARREL



Heavy duty blowgun
Angled barrel with rubber tip to protect work
Bent down to allow access to hard to reach areas


B501 HEAVY DUTY BLOWGUN



Heavy duty blowgun with extended barrel
and brass tip

STANDARD & SPECIALITY BLOWGUNS

B300 STANDARD THUMB LEVER BLOWGUN



1/4" FPT standard thumb lever without tip blowgun

B310 STANDARD ECONOMY SAFETY BLOWGUN



Zinc die-cast chrome plated body blowgun
Thumb lever without tip

B301 STANDARD THUMB LEVER BLOWGUN



1/4" FPT standard thumb lever with brass tip

B302 STANDARD THUMB LEVER BLOWGUN



1/4" FPT standard thumb lever with rubber tip

STANDARD AND SPECIALTY BLOWGUNS

B303 PISTOL GRIP BLOWGUN




1/4" FPT pistol grip with rubber tip blowgun

B304 PISTOL GRIP BLOWGUN



1/4" FPT pistol grip with 8" steel extension

B305 STANDARD THUMB LEVER SPRAYGUN



1/4" FPT standard thumb lever siphon spraygun

B312 IN-LINE BLOWGUN



In-line blowgun with rubber tip. It is secured permanently between coupler and airhose. Provide 1/4" FPT connections for easy installation.

INFLATORS / AIR NOZZLES

B232 ECONOMY BLOWGUN



Lightweight tilt valve blowgun. Press side of gun to operate. 1/4" MPT inlet. Ideal for inflating balloons.

B234 ECONOMY BLOWGUN



Lightweight tilt valve blowgun. Press side of gun to operate. 1/4" FPT inlet. Ideal for inflating balloons.

1/4" ADJUSTABLE AUTOMOTIVE / INDUSTRIAL POCKET BLOWGUN



B100A 1/4" adjustable automotive pocket blowgun








B100H 1/4" adjustable industrial pocket blowgun

TIPS AND ACCESSORIES

These tips can be placed on any **Interstate Pneumatics** B300, B310 or B500 series blowgun body.

SAFETY NOZZLE TIPS


MODEL #	DESCRIPTION	MODEL #	DESCRIPTION
 BT6S	1/8" MPT Slotted brass tip	 BT8S	1/8" MPT Slotted brass tip
 BT7S	1/8" MPT Strata flow safety tip	 BT8S-R	1/8" MPT Slotted brass tip with rubber skin
		 BT8R	Rubber skin for BT8S, brass tip

NEEDLE TIPS




BTN1 0.0425" x 7/8" Needle tip
BTN2 0.050" x 1-1/8" Needle tip
BTN3 0.065" x 1-3/4" Needle tip
BTN4 0.095" x 2-1/2" Needle tip
BTN5 0.134" x 2-3/4" Needle tip

**BTN5A NEEDLE TIP ASSORTMENT
 INCLUDES ALL 5 SIZES OF NEEDLE TIPS.**



BTN1
BTN2
BTN3
BTN4
BTN5

NOZZLE TIP



STANDARD EXTENSION TIPS



BX3 Standard 3" extension tip
BX6 Standard 6" extension tip

SAFETY EXTENSION TIPS



BXS03 3" Safety extension
BXS06 6" Safety extension
BXS12 12" Safety extension
BXS24 24" Safety extension
BXS36 36" Safety extension

* Using different tips on these blowguns will affect the SCFM